



# Camel Urine Characteristics and its Bioactive Molecules on Potential Impacts against Diseases and Pathogenic Microorganisms

A.A. Mohammed<sup>1</sup>, N. Alshaibani<sup>1</sup>

10.18805/IJAR.BF-1908

## ABSTRACT

**Background:** Camel urine (CU) traits varied depending on hydration status, dietary intake, physiological and health conditions. The CU impacts against diseases and pathogenic microorganisms were greatly differed.

**Methods:** The camel urine can be explored from virgin and mature healthy females and males under different management conditions. Urine sample quantity, storage and camel characteristics in addition to country of study were indicated in the article. Effects of different forms of camel urine including fresh urine, enzymatic hydrolysed form, a lyophilized form, bioactive fraction (prophet medicine fraction; PMF) of camel urine were explored *in vivo* and *in vitro* in different experiments to explore their antimicrobial properties. The articles concerning fresh camel urine and its fractions against pathogenic microorganisms and diseases were collected from PubMed, SciencDirect and Google Scholar databases.

**Result:** The results indicated antibacterial, antifungal and antiviruses activities of camel urine in addition to hepatoprotective, gastroprotective and anti-cancer effectives. Camel urine and its fractions has a distinctive ability to kill bacteria, viruses and fungi. The compounds of camel urine aid in recovery like metabolites, hormones, corticosteroids and urea. In addition, camel urine was reported as anticancer, gastroprotective, hepatoprotective, antiplatelet and antiapoptotic agent. Collectively, it could be concluded that camel urine and its fractions have a wide range against pathogenic microorganisms and diseases with the potential hygienic procedure.

**Key words:** Bioactive molecules, Camel urine, Diseases, Microorganisms, Pathogen.

## INTRODUCTION

Camels are crucial to the nomadic lifestyle, providing essential resources for survival. The importance of camels in the livestock industry varies greatly across different countries, depending on factors including the camel breeds, management systems and the environmental conditions (Faye, 2020; Chamekh *et al.*, 2020). Camels provide various products that have been used for sustenance and trade including milk, meat, urine, wool and fertilizer (Kishore *et al.*, 2024; Mohammed and Mahmoud 2011; Mohammed and Alshaibani 2024a,b). These products have played significant roles in the economies and cultures of many regions around the world (Mohammed *et al.*, 2024a,b,c,d).

Camel urine secretion is a fascinating aspect of camel physiology to adapt to the harsh environmental conditions (Iglesias Pastrana *et al.*, 2022). Camels produce highly concentrated urine to conserve water in arid environments (El-Hady *et al.*, 2023). Camel urine contains a high concentration of solutes, including salts, urea and uric acid to minimize water loss. The kidneys are highly efficient at reabsorbing water and solutes resulting in production of concentrated urine (El-Hady *et al.*, 2023). Furthermore, the camels exhibit behavioral adaptation as avoiding the hottest parts of the day and seeking shade to minimize water loss. The amount of camel urine secreted and its

<sup>1</sup>Department of Animal and Fish Production, College of Agriculture and Food Sciences, King Faisal University, P.O. Box 402, Al-Ahsa 31982, KSA.

**Corresponding Author:** A.A. Mohammed, Department of Animal and Fish Production, College of Agriculture and Food Sciences, King Faisal University, P.O. Box 402, Al-Ahsa 31982, KSA.  
Email: aamohammed@kfu.edu.sa

Orcids: <https://orcid.org/0000-0002-1825-7248>, 0009-0007-8607.

**How to cite this article:** Mohammed, A.A. and Alshaibani, N. (2025). Camel Urine Characteristics and its Bioactive Molecules on Potential Impacts against Diseases and Pathogenic Microorganisms. Indian Journal of Animal Research. 1-6.

doi: 10.18805/IJAR.BF-1908

**Submitted:** 22-10-2024 **Accepted:** 19-12-2024 **Online:** 07-01-2025

specific characteristics can vary depending on hydration status, dietary intake and health conditions (Amina *et al.*, 2024a,b). Collectively, camel urine secretion is a remarkable sign of camel adaptation to harsh environments, which is highly concentrated for their survival in the desert environments (Hoter *et al.*, 2019). Camel urine has been used for centuries as traditional medicine in the Middle East and North Africa due to its potential therapeutic properties. The traditional uses of camel urine were included for treatment of diseases, antimicrobial, anti-inflammatory and antioxidant activities (Al-Ghumlas *et al.*, 2023) (Fig 1).

Several studies have shown that camel urine contains a variety of bioactive compounds, including peptides, amino acids and minerals. These compounds may have therapeutic potential effects (Salamt *et al.*, 2021). Because of the limited scientific evidences, the possible side effects and the ethical considerations, further rigorous scientific research studies are needed to validate the efficacy and safety of camel urine for treating diseases. Therefore, it's essential to consult with a healthcare professional to use camel urine for medicinal purposes (Abuelgasim *et al.*, 2018). Collectively, this review is designed to collect and interpret data concerning camel urine and its form against diseases and pathogenic microorganisms.

## MATERIALS AND METHODS

The article was approved by the research committee of King Faisal University [Ref. No. KFU-REC-2024-AUG-EA050]. The articles concerning unique anatomical features of camel kidney, chemical composition of camel urine, amino acids of camel urine, camel urine against antimicrobial activities, hepatoprotective, gastroprotective and anti-cancer activities of camel urine and others were collected from PubMed, SciencDirect and Google Scholar databases to write the review article. Therefore, our targets were to highlight key aspects of camel urine secretion and composition and its effect against diseases and pathogenic microorganisms.

## RESULTS AND DISCUSSION

### Unique anatomical features of camel kidney and urine formation

The kidney's size is approximately 850 cm<sup>3</sup> and weighs about 1000 grams in adult camel. Camel kidneys are brown and bean-shaped having a smooth surface and covered by a thin fibro-muscular capsule (Bello *et al.*, 2013). The kidney is divided into an outer brown region called the renal cortex and an inner red region called the renal medulla. The medulla is about four times thicker than the cortex (Abdalla and Abdalla 1979). The structural and functional unit of the kidney is called the nephron responsible for filtering blood and removing waste products (Imran 2024). The kidney is particularly responsible for regulating water balance and electrolytes in cases of dehydration and rapid rehydration. The camel kidney also plays a crucial role in recycling nitrogen, which is a remarkable feature in camels that explains their ability to survive on low-quality diets.

Several unique anatomical features of camel kidneys contribute to their ability to produce concentrated urine (Abdalla and Abdalla 1979). Henle loop is significantly longer in camels than in many other mammals as in the kangaroo rat (Schmidt-Nielsen and O'Dell, 1961). This extended Henle loop allows for a greater concentration gradient, enabling the kidneys to reabsorb more water and solutes. In addition, the ascending limb of the Henle Loop is also thicker in camels, which increases its ability to actively transport sodium and chloride ions out of the tubule

(Alvira-Iraizoz *et al.*, 2021). This contributes to the creation of a hyperosmotic environment in the medulla, facilitating water reabsorption. The medulla of the camel kidney is significantly thicker than in many other mammals (Schmidt-Nielsen, 1964). This allows for a longer countercurrent multiplier system and a greater ability to concentrate urine. The collecting ducts in camel kidneys are highly specialized to reabsorb water in response to the hormone vasopressin. This hormone increases the permeability of the collecting ducts to water, allowing for further water reabsorption. Another unique feature of camel kidneys is the presence of folds in the pelvis providing a large surface area. These folds provide a close association between the renal pelvis and the medulla, facilitating the recycling of urea (Abdalla, 2020). Collectively, these unique anatomical features enable camel kidneys to produce highly concentrated urine, minimizing water loss and conserving precious resources in arid environments.

### Chemical composition of camel urine

Camel urine is a complex fluid with a unique composition that reflects their adaptations to arid environments (Al-Numair *et al.*, 2022), which varies according to hydration status, dietary intake, sex, age, physiological and health status (Bollard *et al.*, 2005; Schreier *et al.*, 2013; Vogt *et al.*, 2016) (Fig 2). The volume of camel urine was varied from 1.8L to 6.0L according to weather, which increased during colder weather compared to hotter one. The urine had a yellow color and a specific gravity ranged from 1.045 to 1.056. The pH of camel urine is slightly alkaline, ranging from 8.2 to 9.2 compared to pH 5 of human urine. This alkaline pH is likely caused by the high amount of potassium salts it contains (Yagil and Berlyne, 1976). The high concentration of solutes (organic nitrogen, urea, creatinine, creatine, uric acids, ammonia, organic acids, amino acids, vitamins, hormones and electrolytes) in camel urine is a key adaptation to their desert environments (Read, 1925). Camel urine contains about 10-folds more mineral salts versus human urine. In addition, an average of 1.08 percent of hippuric was found in camel urine. This helps to conserve water by minimizing urine volume while still eliminating waste products. Further research is still needed to fully understand the chemical composition of camel urine and its potential therapeutic applications (Salamt *et al.*, 2021). However, it is clear that this complex fluid plays a crucial role in the survival of camels in harsh desert environments.

### Amino acids of camel urine

Amino acids (AAs) are the building blocks of proteins and there are more than 100 amino acids. Twenty of these amino acids are particularly important for creating proteins in our bodies. The AAs were classified into essential, semi-essential and nonessential amino acids (Abdalla *et al.*, 2017). The main essential amino acids are leucine, isoleucine, lysine, phenylalanine, methionine, tryptophan, threonine, Arginine, valine and histidine. Tyrosine cysteine are semi-essential AAs because they may be synthesized

from phenylalanine and methionine, respectively. The main nonessential AAs are asparagine, aspartic acid, alanine, glycine, proline, serine, glutamine and glutamic acid (Seif *et al.*, 2016). Camel urine is known to contain a high amount of amino acids (Abdalla *et al.*, 2017).

Camel urine has been shown to inhibit the bacterial growth (Sumia *et al.*, 2016). This could be attributed to glutamic acid high value, which can inhibit some pathogenic bacterial growth as *Staphylococcus aureus*, *Klebsiella pneumonia*, *Listeria monocytogenes*, *Salmonella typhimurium* and *Escherichia coli*. Leucine value in CU reflex its potential ability to control blood sugar level in diabetic patient. Leucine stimulates insulin synthesis by serving as both metabolic fuel and allosteric activator of glutamate dehydrogenases to enhance glutaminolysis in pancreatic beta cells. Leucine has been shown also to regulate gene transcription and protein synthesis in pancreatic islet  $\beta$ -cells via both motor-dependent and independent pathways at normal levels. Long-term exposure to leucine has been found to improve the insulin-producing function of beta cells in people with diabetes by increasing the activity of specific genes involved in metabolism (Yang *et al.*, 2010).

### Camel urine against antimicrobial activities

There is growing curiosity about using camel urine to treat infectious diseases (Yehia *et al.*, 2020). Camel urine has been explored in traditional medicine and recent scientific studies as a potential source of antimicrobial compounds (Ali *et al.*, 2019; Amina *et al.*, 2024a,b). Compounds with antimicrobial properties found in camel urine has been reported. The chemical compounds found in camel urine with antimicrobial activity include urea, uric acid, peptides, organic acids and minerals (Khedr and Khorshid, 2016). Urea and uric acid have been shown to exhibit antimicrobial properties against a wide range of bacteria and fungi. In addition, the peptides in CU can disrupt the cell membranes of microorganisms. Organic acids in CU including lactic and acetic acids can contribute to its antimicrobial activity. Besides, certain minerals as zinc and copper can have antimicrobial properties. Furthermore, some other studies suggested that camel urine might have immune-modulating properties, helping to enhance the body's natural defenses against infections. While the research on the antimicrobial properties of camel urine is still ongoing, the findings suggest that it could be a potential source of natural antimicrobial agents. Further studies are




Fig 1: Factors effecting on camel urine secretion and its efficacy against pathogens and diseases.




Fig 2: Chemical composition of camel urine.

needed to fully understand the mechanisms of action and to evaluate the safety and efficacy of camel urine-derived compounds for therapeutic applications.

While there is growing interest in the antimicrobial properties of camel urine, more research is still needed to fully understand its mechanisms of action and potential applications. The composition of camel urine can vary depending on factors such as the camel's diet, health and environmental conditions. This can make it challenging to standardize the production of camel urine-based products for medicinal use. Further studies are also required to assess the safety and potential toxicity of camel urine and its derivatives.

### **Hepatoprotective, gastroprotective and anticancer effectives of camel urine**

Camel urine, especially in the Arabian Peninsula, has been consumed as a traditional remedy. Bedouins has been reported to drink approximately 100 ml of camel urine daily, either alone or mixed with camel milk (Al-Yousef *et al.*, 2012). Camel urine has been explored in traditional medicine and scientific studies for various health benefits, including hepatoprotective, gastroprotective and anticancer properties (Salamt *et al.*, 2021).

Camel urine has been explored for its potential hepatoprotective properties. Several studies have suggested that certain compounds in camel urine could contribute to hepatoprotective properties. Camel urine contains antioxidants that can help neutralize harmful free radicals and reducing oxidative stress on the liver (Mahmoud *et al.*, 2019; Al-Ghumlas *et al.*, 2023). Certain compounds in camel urine may have anti-inflammatory properties, which can help protect the liver from damage caused by inflammation (Al-Numair *et al.*, 2022). In addition, some studies suggest that camel urine may stimulate the growth of new liver cells, aiding in liver regeneration after injury (Ajiboye *et al.*, 2022; Hora and Wuestefeld 2023). While these findings are promising, more research is needed to fully understand the mechanisms behind the hepatoprotective effects of camel urine and to determine its safety and efficacy for treating liver diseases (Mahmoud *et al.*, 2019; Iglesias Pastrana *et al.*, 2022).

Camel urine exhibits a significant protection against a peptic ulcer. Some components in camel urine might enhance the protective mucus layer in the stomach, shielding it from damage against endogenous and exogenous ulcerogenic agents (Hu *et al.*, 2017). In addition, camel urine may help reduce the production of gastric acid, potentially protecting against ulcer conditions (Iglesias Pastrana *et al.*, 2022). The anti-inflammatory properties of camel urine may benefit the gastrointestinal tract. The healing properties of camel urine is attributed to the presence of antioxidants (Hu *et al.*, 2017). Trace elements present in camel urine such as zinc and magnesium were found to reduce oxidative stress and help prevent the tissue injury caused by a toxic agent (Shazia *et al.*, 2012).

Camel urine has been claimed to have health benefits for cancer patients. The Saudi Center for Medical Research revealed the possibility of producing a medical capsule containing camel urine for cancer treatment due to various promising therapeutic effects of camel urine in cancer cells (Ghamdi and Khorshid, 2012; Romli *et al.*, 2017). The CU anticancer effects were explored either *in vitro* or *in vivo* (Salamt *et al.*, 2021). The obtained results of studies concerning CU as anticancer agent were doubtful (Tharwat *et al.*, 2023). It has been suggested that camel urine might inhibit the growth and proliferation of cancer cells (Romli *et al.*, 2017). Some studies have indicated that camel urine may induce apoptosis, or programmed cell death in cancer cells *in vitro* (Al-Mutairi *et al.*, 2021). Camel urine samples with a <0.5 Osm/L osmolality demonstrated significant antiproliferative effects in Caki-1 cells. There were two out of ten tested samples showed antiproliferative effects, suggesting that the bioactive compounds responsible for this activity might be present in specific camel urine samples or under certain conditions (Iglesias Pastrana *et al.*, 2024). Certain compounds in camel urine could potentially target specific signaling pathways involved in cancer development (Amina *et al.*, 2024a,b). Although the results of some findings were promising, several rigorous scientific studies are required to establish the definitive efficacy and safety of camel urine for anticancer purposes. In addition, there might be a risk of zoonotic infection from consuming camel urine (Al Zahrani *et al.*, 2023).

### **CONCLUSION**

Camel urine was collected from different camel breeds and it was given different potential impacts against pathogens and diseases. Different forms of camel urine were given to patient people with hyperglycemic, hyperlipidemic, cancer, kidney and liver malfunctions and pathogen infections. The results gave wide ranges of camel urine activities against pathogens and diseases including antibacterial, antifungal and antiviruses activities in addition to hepatoprotective, gastroprotective and anti-cancer effectives. Further studies are required for improvement camel urine usage against pathogens and diseases in addition to the bioactive constituents against pathogens and diseases. Furthermore, further studies are also required to assess the safety and potential toxicity of camel urine and its derivatives.

### **ACKNOWLEDGEMENT**

The authors want to thank and acknowledge Deanship of Scientific Research, King Faisal University, Saudi Arabia for funding and support (KFU242532).

### **Disclaimers**

The views and conclusions expressed in this article are solely those of the authors and do not necessarily represent the views of their affiliated institutions. The authors are responsible for the accuracy and completeness of the

information provided, but do not accept any liability for any direct or indirect losses resulting from the use of this content.

### Conflict of interest

There is no conflict of interest for authors to declare.

### REFERENCES

- Abdalla, M.A., Abdalla, O. (1979). Morphometric observations on the kidney of the camel, *Camelus dromedarius*. Journal of Anatomy. 129: 45-50.
- Abdalla, E.M., Khogali, S.M.K., Hala, E.A., Samia, H.A., Israa, M.M. (2017). Amino Acid Analysis of Camel Urine. Infectious Diseases Diagnosis and Treatment. 2017: J104.
- Abdalla, M.A. (2020). Anatomical features in the kidney involved in water conservation through urine concentration in dromedaries (*Camelus dromedarius*). Heliyon. 6(1): e03139.
- Abuelgasim, K.A., Alsharhan, Y., Alenzi, T., Alhazzani, A., Ali, Y.Z., Jazieh, A.R. (2018). The use of complementary and alternative medicine by patients with cancer: A cross-sectional survey in Saudi Arabia. BMC Complement Altern Medicine. 18(1): 88.
- Ajiboye, T.O., Ogunbiyi, O.D., Omotola, E.O., Adeyemi, W.J., Agboola, O.O., Onwudiwe, D.C. (2022). Urine: Useless or useful "waste"? Results in Engineering. 16: 100522.
- Al, Zahrani, A., Alfakeeh, A., Alghareeb, W., Bakhribah, H., Basulaiman, B., Alsuhail, A. and Alsharm, A. (2023). Observational study and literature review of the use of camel urine for treatment of cancer patients. Eastern Mediterranean Health Journal. <https://doi.org/10.26719/emhj.23.050>.
- Al-Ghumlas, A.K., Alhakhbany, M., Korish, A.A. (2023). Antiapoptotic and anticoagulant effects of camel milk and camel urine in methotrexate-induced hepatotoxicity. CyTA - Journal of Food. 21(1): 357-365.
- Ali, A., Baby, B., Vijayan, R. (2019). From Desert to Medicine: A Review of Camel Genomics and Therapeutic Products. Frontiers in Genetics. 2019: 10.
- Al-Mutairi, M.S., Matar, I.K., Alfadli, S., Al-Mutairi, A. (2021). Camel urine promotes sensitization to doxorubicin by inhibiting epithelial-mesenchymal transition and modulating NF- $\kappa$ B-Snail Signaling Pathway in Breast Cancer Cells. Asian Pacific Journal of Cancer Prevention. 22(12): 4017-4029.
- Al-Numair, N.S., Theyab, A., Alzaharani, F., Shams, A.M., Al-Anazi, I.O., Oyouni, A.A.A., Al-Amer, O.M., Mavromatis, C., Saadeldin, I.M., Abdali, W.A., Hawsawi Y.M. (2022). Camels' biological fluids contained nanobodies: Promising avenue in cancer therapy. Cancer Cell International. 22(1): 279.
- Alvira-Iraizoz, F., Gillard, B.T., Lin, P., Paterson, A., Pauža, A.G., Ali, M.A., Alabsi, A.H., Burger, P.A., Hamadi, N., Adem, A., Murphy, D., Greenwood, M.P. (2021). Multiomic analysis of the arabian camel (*Camelus dromedarius*) kidney reveals a role for cholesterol in water conservation. Communications Biology. 4(1): 779.
- Al-Yousef, N., Gaafar, A., Al-Otaibi, B., Al-Jammaz, I., Al-Hussein, K., Aboussekhra, A. (2012). Camel urine components display anti-cancer properties in vitro. Journal of Ethnopharmacology. 143(3): 819-825.
- Al-Zahrani, S., Al-Harbi, A. (2011). Antimicrobial activity of camel's urine on methicillin-resistant staphylococcus aureus isolated from clinical specimens. Journal of King Saud University - Science. 23: 251-268.
- Amina, R., Habiba, R., Barguigua Abouddihaj, B. (2024a). Camel urine as a potential source of bioactive molecules showing their efficacy against pathogens: A systematic review. Saudi Journal of Biological Sciences. 31(5): 103966.
- Amina, R., Rafik, A., Habiba, R., Asmaa, D., Abouddihaj, B. (2024b). Ethnopharmacological survey of the therapeutic use of camel urine in the Guelmim-oued Noun and Laayoune-sakia El Hamra regions of Morocco. Scientific African. 26: e02377.
- Bello, A., Lawal, U.F., Onyeausi, B.I., Sonfada M.L., Umaru, M.A., Onu J.E., Shehu S.A., Umar A.A. (2013). Prenatal Development of the Kidney of One-Humped Camel (*Camelus dromedarius*) - A Histomorphometric Study. African Journal of Biomedical Research. 16: 31-37.
- Bollard, M.E., Stanley, E.G., Lindon, J.C., Nicholson, J.K., Holmes, E. (2005). NMR-based metabonomic approaches for evaluating physiological influences on biofluid composition. NMR Biomedicine. 18(3): 143-62.
- Chamekh, L., Khorchani, T., Dbara, M., Hammadi, M., Yahyaoui, M.H. (2020). Factors affecting milk yield and composition of Tunisian camels (*Camelus dromedarius*) over complete lactation. Tropical Animal Health and Production. 52(6): 3187-3194.
- El-Hady, E., Behairy, A., Goda, N.A., Abdelbaset-Ismail, A., Ahmed, A.E., Al-Doaiss, A.A., Abd El-Rahim, I., Alshehri, M.A., Aref, M. (2023). Comparative physiological, morphological, histological and AQP2 immunohistochemical analysis of the Arabian camels (*Camelus dromedarius*) and oxen kidney: Effects of adaptation to arid environments. Frontiers in Animal Science. 4: 1078159.
- Faye, B. (2020). How many large camelids in the world? A synthetic analysis of the world camel demographic changes. Pastoralism. 10: 25.
- Ghamdi, Z., Khorshid, F. (2012). Cytotoxicity of the urine of different camel breeds on the proliferation of lung cancer cells, A549. Journal of Natural Science Review. 2012: 2.
- Gole, F. (2020). Review on health benefits of camel urine: Therapeutics effects and potential impact on public health around east hararghe district. American Journal of Pure and Applied Biosciences. 2: 183-191.
- Gole, F. (2020). Review on health benefits of camel Urine: Therapeutics Effects and potential impact on public health around east hararghe district. American Journal of Pure and Applied Biosciences. 2: 183-191.
- Hora, S., Wuestefeld, T. (2023). Liver Injury and Regeneration: Current understanding, new approaches and future perspectives. Cells. 12: 2129.
- Hoter, A., Rizk, S., Naim, H.Y. (2019). Cellular and Molecular Adaptation of Arabian Camel to Heat Stress. Frontiers in Genetics. 10: 588.
- Hu, Z., Chang, X., Pan, Q., Gu, K., Okechukwu, P.N. (2017). Gastroprotective and ulcer healing effects of camel milk and urine in HCl/EtOH, Non-steroidal Anti-inflammatory drugs (*Indomethacin*) and water-restraint Stress-induced Ulcer in Rats. Pharmacognosy Magazine. 13(52): 559-565.

- Iglesias Pastrana, C., Delgado Bermejo, J.V., Sgobba, M.N., Navas González, F.J., Guerra, L., Pinto, D.C.G.A., Gil, A.M., Duarte, I.F., Lentini, G., Ciani, E. (2022). Camel (*Camelus* spp.) urine bioactivity and metabolome: A Systematic Review of Knowledge Gaps, Advances and directions for future research. *International Journal of Molecular Sciences*. 23(23): 15024.
- Iglesias, Pastrana, C., Sgobba, M.N., Navas González, F.J., Delgado Bermejo, J.V., Pierri, C.L., Lentini, G., Musio, B., Osman, T.K.S., Gallo, V., Duarte, I.F., Guerra, L., Ciani, E. (2024). Factors influencing the bioactivity of natural matrices: The case of osmolarity-dependent modulation of cell viability by different dilutions of camel urines. *Research in Veterinary Science*. 180: 105419.
- Imran, N.B. (2024). *Functional Anatomy of the Kidney*, Reference Module in Biomedical Sciences, Elsevier, 2024, ISBN 978012 801 2383.
- Khedr, A. and Khorshid, F. (2016). Characterization and determination of major bioactive acids in camel urine using gas chromatography Mass-spectrometry. *Indian Journal Pharmaceutical Sciences*. 78(5): 680-687.
- Kishore, A., Pal, B., Sarkar, P. (2024). Camelids for Sustainability: A Socio-Economic Perspective. *Asian Journal of Environment and Ecology*. 23(1): 53-72.
- Mahmoud, H.S., Wael Elsaed, W., Gabr, S. (2019). Camel Urotherapy and Hepatoprotective Effects Against Carbon Tetrachloride-induced Liver Toxicity. *International Journal of Pharmacology*. 15(6): 696-705.
- Mohammed, A.A. and Alshaibani, N. (2024a). The Potential Impacts of Assisted Reproductive Techniques in Camel Development and Future Prospects: A Review *Indian Journal of Animal Research*. doi: 10.18805/IJAR.BF-1875.
- Mohammed, A.A. and Alshaibani, N. (2024b). Camel Milk Yield and Composition and its Adjuvant Potential Impacts on Health of Consumers: A Review. *Indian Journal of Animal Research*. doi: 10.18805/IJAR. BF-1872.
- Mohammed, A.A., Mahmoud, G.B. (2011). Some reproductive parameters of growing, adult non-pregnant and pregnant she camel slaughtered in Assiut Governorate. *Egyptian Journal Animal Production*. 48: 75-84.
- Mohammed, A.A., AlGherair, I., AlSuwaiegh, S., Al-Khamis, S., Alessa, F., Al-Madni, A. and Al-Ghamdi, A. (2024a). Effects of nutritive and Non-nutritive feed supplements on feed utilization, growth and reproductive performances in mammals. *Indian Journal of Animal Research*. 58(4): 615-621.
- Mohammed, A.A., Al-Suwaiegh, S., AlGherair, I., Al-Khamis, S., Alessa, F., Al-Awaid, S., Alhujaili, W.F., Mohammed, A. and Mohammed, A. (2024b). The potential impacts of antioxidant micronutrients on productive and reproductive performances of mammalian species during stressful conditions. *Indian Journal of Animal Research*. 58(6): 1031-1038.
- Mohammed, A.A., AlSuwaiegh, S., AlGherair, I. (2024c). Potential impacts of dried green coleus forskolin leaves on changes of body and liver weight, glucose and rectal temperature, serum profiles in mice. *Indian Journal of Animal Research*. doi :10.18805/IJAR.BF-1891
- Mohammed, A.A., Al-Suwaiegh, S. and AlGherair, I. (2024d). Potential impacts of dried green coleus forskolin leaves on changes of body and liver weight, glucose and body temperature, serum profiles in mice. *Indian Journal of Animal Research*. doi: 10.18805/IJAR.BF-1839.
- Read, B.E. (1925). Chemical constituents of camel's urine. *Journal of Biological Chemistry*. 64: 615-617.
- Romli, F., Abu, N., Khorshid, F.A., Syed Najmuddin, S.U.F., Keong, Y.S., Mohamad, N.E., Nik Abd Rahman, N.M.A. (2017). The growth inhibitory potential and antimetastatic effect of camel urine on breast cancer cells *in vitro* and *in vivo*. *Integrative Cancer Therapies*. 16(4): 540-555.
- Salamt, N., Idrus, R.B.H., Kashim, M.I.A.M., Mokhtar, M.H. (2021). Anticancer, antiplatelet, gastroprotective and hepato protective effects of camel urine: A scoping review. *Saudi Pharmaceutical Journal*. 29(7): 740-750.
- Schmidt-Nielsen B. (1964). Organ systems in adaptation. The excretory system. In: *Handbook of Physiology*, Ch.13. (Ed. D.B. Dill, E.F., Adolf and C.G. Wilber), Washington D.C., American Physiological Society.
- Schmidt-Nielsen B., O'Dell R. (1961). Structure and concentrating mechanism in the mammalian kidney. *American Journal of Physiology*. 200: 1119-1124.
- Schreier, C., Kremer, W., Huber, F., Neumann, S., Pagel, P., Lienemann, K., Pestel S. (2013). Reproducibility of NMR Analysis of Urine Samples: Impact of Sample Preparation, Storage Conditions and Animal Health Status. *BioMed Research International*. 2013: e878374.
- Seif, E., Gomaa, R., Eisa, M. (2016). A retrospective study of acute poisoning in children under 5 years old admitted to alexandria poison center in Egypt. *World Journal of Preventive Medicine* 4: 32-39.
- Shazia, Q., Mohammad, Z.H., Rahman, T., Shekhar, H. (2012). Correlation of oxidative stress with serum trace element levels and antioxidant enzyme status in beta thalassemia major patients: A review of the literature. *Anemia*. doi: 10.1155/2012/270923.
- Sumia, A.D., Ali, A., Majid, Muna E.A. (2016) Antimicrobial activity of Camels (*Camelusdromedarius*) and Sheep urine on some pathogenic bacteria. *IOSR-JAVS*. 9: 65-71.
- Tharwat, M., Almundarij, T.I., Sadan, M., Khorshid, F., Swelum, A. (2023). Is camel's urine friend or enemy? Review of its role in human health or diseases. *Open Veterinary Journal*. 13(10): 1228-1238.
- Vogt, K., Boos, S., Breitenmoser, U., Kölliker, M. (2016). Chemical composition of Eurasian lynx urine conveys information on reproductive state, individual identity and urine age. *Chemoecology*. 26(6): 205-17.
- Yagil, R., Berlyne, G.M. (1976). Sodium and potassium metabolism in the dehydrated and rehydrated bedouin camel. *Journal of Applied Physiology*. 41: 457-461.
- Yang, J., Chi, Y., Burkhardt, B.R., Guan, Y., Wolf, B.A. (2010). Leucine metabolism in regulation of insulin secretion from pancreatic beta cells. *Nutrition Reviews*. 68: 270-279.
- Yehia, R.S., Osman, G.H., Assaggaf, H., Salem, R., Mohamed, M.S.M. (2020). Isolation of potential antimicrobial metabolites from endophytic fungus *Cladosporium cladosporioides* from endemic plant *Zygophyllum mandavillei*. *South Afri. J. Bot., Curre. Future Directions in Endophyte Research*. 134: 296-302.