



# Promising Roles of *Zingiber officinale* and its Derivatives on Promoting Health and Protecting from Disorders

A.A. Mohammed<sup>1</sup>, S. Al-Suwaiegh<sup>1</sup>, I. AlGherair<sup>1</sup>, F. Alessa<sup>2</sup>, W.F. Alhujaili<sup>3</sup>

10.18805/IJAR.BF-1788

## ABSTRACT

**Background:** Ginger (*Zingiber officinale*) have gained great attention across the globe since ancient times or decades ago to be utilized as a delicacy spice or remedy to promote health and protect from ailments.

**Methods:** Supplementing ginger and active phytochemical constituents to mammalian species for spicing foods and protecting cells from disorders during stressful conditions.

**Result:** Supplementing ginger and active phytochemical constituents during stressful conditions might be helpful to overcome the stressors and increase productive and reproductive performances. Mammalian species during stressful conditions as transitional period, pregnancy, peak of lactation, heat stress and body ailments require ginger and active phytochemical constituents to alleviate stress and promote body function. Ginger plant contains chemical compounds including aldehyde, gingerol, shogaol and paradol, which are beneficial to the body health and have a wide range of pharmacological properties. Hence, the review article was designed to shed light of ginger and active phytochemical constituents' supplementation on promoting health and protecting from disorders in human and animals.

**Key words:** Embryos, Feed utilization, Ginger, Growth, Immunity, Oocytes, Reproduction.

## INTRODUCTION

Ginger (*Zingiber officinale*) is the most perennial common herb used all over the world, which originated in highest ranking countries; India, China, Nepal, Indonesia and Nigeria, respectively. Ginger is spice used to give beautiful aroma to food and has a pivotal role as distinct medicinal properties (Park and Pezzuto, 2002; Mukjerjee and Karati, 2022). Ginger is widely used to treat a number of diseases due to varied phytochemistry that has large health benefits (Sayed *et al.*, 2020; Yang *et al.*, 2024). Ginger contains more than 60 active phytochemical constituents as carbohydrates, proteins, lipids, non-volatile pungent scaffolds (Gingerols, Zingerone, Shogaols and Paradols), sesquiterpene (Zingiberene,  $\beta$ -Sesquiphellandrene and  $\beta$ -Bisabolene), monoterpenoid ( $\beta$ -phellandrene, cineol and Citral), vitamins (B5, B6 and E) and minerals (calcium, phosphorus, magnesium, sodium, iron and manganese) (Mukjerjee and Karati, 2022). Several body functions were modulated through ginger supplementation. Sayed *et al.* (2020) found that ginger supplementation to rats resulted in reduced body weight gain and improved energy expenditure, which may avoid surgery for weight loss due to the risk factors and high cost in human. Besides, blood metabolites and immunity were modulated upon ginger supplementation (Zhang *et al.*, 2009; Rajan *et al.*, 2013; Banji *et al.*, 2014). Therefore, this review is designed to shed the light on the various ginger and pharmacological properties in promoting body functions and alleviating diseases of both animals and human as well.

## MATERIALS AND METHODS

The current study was carried out according to the procedure approved by Deanship of Scientific Research,

<sup>1</sup>Department of Animal and Fish Production, College of Agriculture and Food Sciences, King Faisal University, P.O. Box 402, Al-Ahsa 31982, KSA.

<sup>2</sup>Department of Food Science and Nutrition, College of Agriculture and Food Sciences, King Faisal University, P.O. Box 402, Al-Ahsa 31982, KSA.

<sup>3</sup>Department of Biology, College of Science, Taibah University, Al Madinah Al Munawwarah, 41321, KSA.

**Corresponding Author:** A.A. Mohammed, Department of Animal and Fish Production, College of Agriculture and Food Sciences, King Faisal University, P.O. Box 402, Al-Ahsa 31982, KSA. Email: aamohammed@kfu.edu.sa

**How to cite this article:** Mohammed, A.A., Al-Suwaiegh, S., AlGherair, I., Alessa, F. and Alhujaili, W.F. (2024). Promising Roles of *Zingiber officinale* and its Derivatives on Promoting Health and Protecting from Disorders. Indian Journal of Animal Research. 58(11): 1949-1955. doi: 10.18805/IJAR.BF-1788.

**Submitted:** 16-03-2024 **Accepted:** 18-07-2024 **Online:** 25-07-2024

King Faisal University, Saudi Arabi from October to March (2024). The seminal articles concerning the effects of ginger and active phytochemical constituents were collected from SciencDirect, PubMed and Google Scholar. Therefore, our targets are to highlight key aspects of ginger and active phytochemical constituents on body functions, productive and reproductive performances and serum metabolites. In addition, the pharmacological significance of ginger and active phytochemical constituents concerning antioxidant, anti-inflammatory, immunomodulatory, antidiarrhoeic, antiemetic and lipolytic activities were used.

## RESULTS AND DISCUSSION

### Morphology, origin, distribution and ginger oil

Ginger is believed to be originated in tropical Southeast Asia, possibly in the Indian subcontinent. It has been cultivated for thousands of years and is now grown in tropical and subtropical regions around the world. The fifth top ginger producing countries include India, China, Nepal, Indonesia and Nigeria, respectively (Mukjerjee and Karati 2022). Ginger belongs to the family Zingiberaceae, which also includes turmeric (*Curcuma longa*), cardamom (*Elettaria cardamomum*) and galangal. The ginger (*Z. officinale*) is a flowering perennial plant reached 1-3 feet height. The rhizome, or ginger root, is the most important part of the plant and it is the part that is used as a spice or medicine. The rhizome is knobby and has a brown skin. It has a pungent, spicy flavor and a warm aroma. Components of ginger oil, originated from roots, were varied according to the area, protocol of extraction and roots condition (Ibtisham *et al.*, 2019). It is well-known that ginger oils are considered safe and used of great importance for improvement of respiratory and gastrointestinal functions. Ginger and its derivative compounds could be used as a promising alternative to antibiotics in livestock and poultry feed (Abd El-Hack *et al.*, 2020).

### Effects of ginger on body functions

Ginger has many health benefits due to the several bioactive compounds (Yang *et al.*, 2024) (Fig 1 and Table 1). The variety of bioactive compounds has antioxidant, anti-inflammatory, immunomodulatory, antidiarrhoeic, antiemetic and lipolytic activities resulting in improvement of blood metabolites, productive and reproductive performances (Akhlaghi *et al.*, 2014; Sorrenti *et al.*, 2023).

Zingerone is produced by thermal degradation of gingerols or shogaols or during drying of ginger directly. It has been stated that ginger oil chemical composition is influenced by rhizome origin, freshness or dehydration status and procedures of extraction (Abd El-Hack *et al.*, 2020).

Zingerone is absent in fresh ginger but is formed through heating or cooking to transform gingerol to zingerone, which present 9.25% of ginger (Zhang *et al.*, 2012). Zingerone has potent pharmacological activities including antidiabetic, antilipolytic, antidiarrhoeic, anti-inflammatory and antispasmodic activities. In addition, zingerone displays the properties of immune stimulation and enhancing growth. Besides, zingerone inhibits the reactive nitrogen species (RNS), which is important to cause Alzheimer's disease.

### Effect of ginger on productive performance and serum metabolites under heat-stress condition

Heat stress is known to severely effect on feed utilization and body weight gain (Ibtisham *et al.*, 2019). Therefore, improving the negative effects of heat stress in the animal and poultry industry is extremely important (Al-Mufarji *et al.*, 2022). Heat stress can lead to oxidative stress, which causes lipid peroxidation and oxidative damage to cellular membranes. Feed intake and digestibility and production were improved due to ginger supplemented diet in addition to significantly higher glucose versus lower triglycerides and cholesterol values. Furthermore, nitric oxide, glutathione peroxidase and total protein values were significantly improved due to ginger supplemented diet (Ibtisham *et al.*, 2019). It has been showed that ginger can stimulate the secretion of gastrointestinal fluid and promote feed digestion (Amerah and Ravindran, 2015). Many




Fig 1: Effects of ginger active phytochemical constituents on body functions

**Table 1:** Roles of ginger active phytochemical constituents on body functions.

| Vitamins                              | Functions                                                                                                                        | References                                                |
|---------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|
| <b>Non-volatile pungent scaffolds</b> |                                                                                                                                  |                                                           |
| Gingerols                             | Exhibits biological activities including antioxidant, anticancer, anti-inflammatory and antimicrobial activities                 | Masuda <i>et al.</i> , 2004<br>Mukjerjee and Karati, 2022 |
| Zingerone                             | Exhibit biological activities including antidiabetic, antilipolytic, antidiarrhoeic, anti-inflammatory, antispasmodic activities | Ahmad <i>et al.</i> , 2015                                |
| Shogaols                              | Exhibits reduced pain symptoms                                                                                                   | Fajrin <i>et al.</i> , 2020                               |
| Paradols                              | Exhibit a potential therapeutic agent to suppress gastric cancer                                                                 | Wang <i>et al.</i> , 2023                                 |
| <b>Sesquiterpene</b>                  |                                                                                                                                  |                                                           |
| Zingiberene                           | Exhibit anticancer, antihypertension, reduction of heart diseases and maintaining digestion and blood circulation                | Rasool <i>et al.</i> , 2022                               |
| $\beta$ -Sesquiphellandrene           | Exhibit antibacterial and antioxidant potential                                                                                  | Yousfi <i>et al.</i> , 2021                               |
| $\beta$ -Bisabolene                   | Exhibit anti-adipogenic and antibacterial activities                                                                             | Li <i>et al.</i> , 2023                                   |
| <b>Monoterpenoid</b>                  |                                                                                                                                  |                                                           |
| $\beta$ -phelladrene                  | Exhibits cardioprotective efficacy of alternative and complementary therapeutics                                                 | Mukjerjee and Karati, 2022                                |
| Cineol                                | Exhibits biological activities including antioxidant, anticancer, anti-inflammatory and antimicrobial activities                 | Arora <i>et al.</i> , 2013                                |
| Citral                                | Exhibits estrogen actions                                                                                                        | Kiyama, 2020                                              |
| <b>Vitamins</b>                       |                                                                                                                                  |                                                           |
| Vitamin B5<br>(pantothenic acid)      | Synthesis of coenzyme A (CoA) and acyl carrier protein, which are necessary for fatty acid synthesis and degradation             | Sweetman, 2010                                            |
| Vitamin B6<br>(pyridoxine)            | Helps the body release sugar from stored carbohydrates for energy and create red blood cells                                     | McCormick, 2006                                           |
| Vitamin E                             | Assists immune function and acts as an antioxidant that protects cells from damage                                               | Luan <i>et al.</i> , 2023                                 |
| <b>Minerals</b>                       |                                                                                                                                  |                                                           |
| Calcium                               | Necessary for proper structure and function of bones and teeth. Assists in muscle function and blood vessel contraction          | Rani <i>et al.</i> , 2021                                 |
| Phosphorus                            | Part of bone and cell membrane structure                                                                                         | Senosy <i>et al.</i> , 2018                               |
| Magnesium                             | Assists with over 300 enzyme reactions, including regulation of blood pressure                                                   | Lobo <i>et al.</i> , 2023                                 |
| Sodium                                | Electrolyte that aids fluid balance and maintenance of blood pressure                                                            | Teresa Rejas <i>et al.</i> , 1988                         |
| Iron                                  | Helps provide oxygen to muscles and assists in the creation of certain hormones                                                  | Say <i>et al.</i> , 2002                                  |
| Manganese                             | Assists in carbohydrate, amino acid and cholesterol metabolism                                                                   | Gad, 2023                                                 |

compounds found in ginger can bind to serotonin receptors, which in turn might influence gastrointestinal functions and can be used as growth promoter (Ashayerizadeh *et al.*, 2009). Therefore, the effect of ginger on serum metabolites might be due to a number of different mechanisms including direct effects on enzymes, activation of signaling pathways and altering gut microbiota. Ginger has shown various pharmacological effects including immunomodulatory and anti-inflammatory effects (Zhao *et al.*, 2011) due to several compounds as gingerol and shogaols that possess antioxidant activity.

### Effects of ginger on reproductive performances

There are great evidences that ginger enhance male and female reproductive performances (Abdelfattah *et al.*, 2023). Because of ginger properties concerning presence of active phenolic compounds and androgenic activity, it improves semen quality through reducing oxidative stress and altering the levels of LH, FSH and androgen hormones (Gholami-Ahangaran *et al.*, 2021). The antioxidant and androgenic properties of ginger give the sperm normal morphological structures, viability and increase sperm fertility characters. Ginger contains gingerol, gingerdiol and gingerdione, which may promote the functioning of the

antioxidant defense system (Baliga *et al.*, 2011). Additionally, the adjuvant impacts of antioxidants on ovarian follicle development, oocyte maturation and embryo development of mammalian species has been indicated (Mohammed *et al.*, 2024a).

Antioxidants improve female reproductive performances through the significant increase in reproductive hormone values, numbers and sizes of ovarian follicles in addition to increase of ovulation rate and corpora lutea development (Mohammed and Al-Suwaiegh 2016, 2023; Senosy *et al.*, 2017, 2018, 2019; Mohammed 2018; Ali *et al.*, 2021; Al-Mufarji *et al.*, 2022; Chen *et al.*, 2023; Mohammed *et al.*, 2024a,b,c). In addition, antioxidant supplementation to *in vitro* maturation media of oocytes promotes maturation and further embryonic development (Yao *et al.*, 2023). The antioxidants improved the quality of embryos and stimulated their mitochondrial function (Gomes da Silva *et al.*, 2023). Therefore, it is expected, due to the high antioxidant content of ginger, promotion of female reproductive performances. The short term with low dose of ginger (100 mg/5-day) was increased the antral follicle count and ovarian stromal vascular endothelial growth factor (Yilmaz *et al.*, 2018). The citral compound of ginger was found to exhibits estrogen actions (Kiyama, 2020). Hence, we could expect in assisted reproductive techniques promotion of ovarian follicle development and embryo development either *in vivo* or *in vitro* upon ginger supplementation. Moreover, the surgical assisted techniques used in reproduction as vasectomy, embryo transfer, ovarian transplantation and *et cetera* might promote recovery and enhance reproductive performance.

#### Effect of ginger on pharmacological significance

Ginger and its constituents are known to provide beneficial properties to the body functions. They have been recognized to inhibit the oxidation of various free radicals and the production of nitric oxide. Ginger has been shown to have a number of positive effects on the cardiac system including reduction of blood pressure, lowering cholesterol levels, preventing blood clots, improving blood circulation and protecting against heart disease by reducing inflammation and oxidative stress (Patil and Patil, 2021; Daniels *et al.*, 2022; Mukjerjee and Karati, 2022). Besides, ginger has been shown to have a number of potential neuroprotective effects as reduction of oxidative stress, reducing inflammation, improving cognitive function and protecting against neurodegenerative diseases. These effects might be due to a number of different mechanisms including direct effects on brain cells, activation of signaling pathways and modulation of gut microbiota (Shanmugam *et al.*, 2011; Zhang *et al.*, 2018; Mukjerjee and Karati, 2022). Furthermore, a number of gastroprotective effects of ginger has been indicated as reduction of gastric acid secretion, protecting the gastric mucosa, promoting gastric healing and relieving nausea and vomiting (Stewart *et al.*, 1991; Ernst and Pittler, 2000). Besides, ginger has been shown

to have a number of hepatoprotective effects including protecting the liver from damage caused by toxins, reducing liver inflammation, promoting liver regeneration and improving liver function (Stagos *et al.*, 2012; Fahmi *et al.*, 2019). In addition, a number of potential benefits for people with osteoarthritis due to ginger supplementation includes reducing pain, reducing inflammation and slowing disease progression (Altman and Marcussen, 2001). These beneficial effects of ginger might be due to a number of anti-inflammatory, immunomodulatory, antioxidant, antiemetic and prokinetic effects.

#### Effect of ginger on antioxidant, anti-inflammatory and immunomodulatory activities

Ginger and its constituents have the ability to degrade free radicals generated from food products due to phenolic compounds including gingerols, shogaols and paradols. These compounds effectively scavenge free radicals, which are unstable molecules that can damage cells and DNA. By neutralizing free radicals, ginger helps protect the body from oxidative stress, a cellular imbalance that contributes to various chronic diseases (Stoilova *et al.*, 2007; Rajan *et al.*, 2013; Banji *et al.*, 2014).

The antioxidant properties of ginger have been linked to its potential health benefits. Ginger's ability to protect against oxidative stress may contribute to its anti-inflammatory (Lantz *et al.*, 2007), anticancer (Li *et al.*, 2013; El-Ashmawy *et al.*, 2018) and neuroprotective (Shanmugam *et al.*, 2011) effects. Additionally, ginger has been shown to improve blood sugar (Ahmad *et al.*, 2015) control and protect against cardiovascular diseases (Mukjerjee and Karati 2022), both of which are associated with oxidative stress (Banji *et al.*, 2014).

#### Effect of ginger on antidiarrhoeic, antiemetic and lipolytic activities

Ginger and its constituents have been shown to have antidiarrheal effects in both animal and human studies. It is thought to work by several mechanisms including inhibiting the production of prostaglandins, reducing inflammation, stimulating the production of mucus and blocking the action of serotonin (Chen *et al.*, 2007; Iwami *et al.*, 2011). Besides, nausea and emesis are the side effects after treatment regime (Pillai *et al.*, 2011). Zingerone can be used to treat cytotoxic chemotherapy induced emesis and postoperative nausea and vomiting (Sharma *et al.*, 1997). Furthermore, ginger and its bioactive compounds, gingerols and shogaols, have been indicated to provide a positive effect on lipolysis both *in vitro* and *in vivo*. The worldwide obesity rate since 1980 has nearly doubled. The World Obesity Federation predicts one in seven men and one in five women will have obesity by 2030. According to the WHO organization, four million people die each year as a result of obesity. The effect of ginger on lipolysis is likely due to several mechanisms as increasing the activity of hormone-sensitive lipase,

inhibiting the expression of adipocyte protein 2, upregulating the expression of peroxisome proliferator-activated receptor  $\alpha$  (Han *et al.*, 2008; Thunchomnang *et al.*, 2012). Ginger may have potential as a weight loss purpose. However, more studies are still needed to confirm the long-term safety and efficacy of ginger for this purpose.

## CONCLUSION

The ginger supplementation improves gastrointestinal function, nutrient digestibility and blood and plasma profiles. Such enhancement over ginger supplementation might lead to improvement of body weight gain, reproductive performance including ovarian follicle numbers and quality of their oocytes, embryos and newborns. The continuous progress of ginger and its active constituent's supplementation is necessitated for both animals and human health. Therefore, the future approach of beneficial effects during transitional stage and/or heat stress condition is a target for improving productive and reproductive performances and body health in ruminants through ginger and its active constituent's compounds.

## ACKNOWLEDGEMENT

The authors want to thank and acknowledge Deanship of Scientific Research, King Faisal University, Saudi Arabia for funding and support (GRANTA054).

## Conflict of interest

There is no conflict of interest for authors to declare.

## REFERENCES

- Abd El-Hack, M.E., Alagawany, M., Shaheen, H., Samak, D., Othman, S.I., *et al.* (2020). Ginger and its derivatives as promising alternatives to antibiotics in poultry feed. *Animals* (Basel). 10(3): 452.
- Abdelfattah, M.G., Hussein, M.T., Ragab, S.M.M., Khalil, N.S.A., Attaai, A.H. (2023). The effects of Ginger (*Zingiber officinale*) roots on the reproductive aspects in male Japanese Quails (*Coturnix coturnix japonica*). *BMC Veterinary Research*. 19(1): 34.
- Ahmad, B., Rehman, M.U., Amin, I., Arif, A., Rasool, S., Bhat, S.A., Afzal, I., Hussain, I., Bilal, S., Mir, M. (2015). A Review on Pharmacological Properties of Zingerone (4-(4-Hydroxy-3-methoxyphenyl)-2-butanone). *Scientific World Journal*. 2015: 816364.
- Akhlaghi, A., Ahangari, Y.J., Navidshad, B., Pirsaraei, Z.A., Zhandi, M., Deldar, H., *et al.* (2014). Improvements in semen quality, sperm fatty acids and reproductive performance in aged Cobb 500 breeder roosters fed diets containing dried ginger hizomes (*Zingib officinale*). *Poultry Science*. 93(5): 1236-1244.
- Ali, M.A., Alshaheen, T., Senosy, W., Kassab, A., Mohammed, A.A. (2021). Effects of feeding green microalgae and *Nigella sativa* on productive performance and metabolic profile of Boer goats during peripartum period in subtropics. *Fresenius Environmental Bulletin*. 30: 8203-8212.
- Al-Mufarji, A., Mohammed, A.A., Al Zeidi, R., Al Masruri, H. (2022). Modulation impacts of *Moringa oleifera* on thermo tolerance parameters and blood indices in subtropical ewes under heat stress. *Advances in Animal Veterinary Sciences*. 10(7): 1641-1648.
- Altman, R.D., Marcussen, K.C. (2001). Effects of a ginger extract on knee pain in patients with osteoarthritis. *Arthritis Rheum*. 44(11): 2531-2538.
- Amerah, A.M., Ravindran, V. (2015). Effect of coccidia challenge and natural betaine supplementation on performance, nutrient utilization and intestinal lesion scores of broiler chickens fed suboptimal level of dietary methionine. *Poultry Science*. 94(4): 673-680.
- Arora, R., Goswami, B., Shivashankara, A.R., Periera, D.M., Baliga, M.S. (2013). Chapter 38-Cardioprotective Efficacy of Alternative and Complementary Therapeutics, *Bioactive Food as Dietary Interventions for Cardiovascular Disease*, [(Eds): Watson, R.R., Preedy, V.R.], Academic Press. pp. 657-671.
- Ashayerizadeh, A., Dabiri, N., Ashayerizadeh, O., Mirzadeh, K.H., Roshanfekar, H., Mamooee, M. (2009). Effect of dietary antibiotic, probiotic and prebiotic as growth promoters, on growth performance, carcass characteristics and hematological indices of broiler chickens. *Pakistan Journal Biological Science*. 12(1): 52-57.
- Baliga, M.S., Haniadka, R., Pereira, M.M., D'Souza, J.J., Pallaty, P.L., Bhat, H.P. and Popuri, S. (2011). Update on the chemopreventive effects of ginger and its phytochemicals. *Critical Reviews in Food Science and Nutrition*. 51: 499-523.
- Banji, D., Banji, O.J.F., Pavani, B., Kumar, C.K., Annamalai, A.R. (2014). Zingerone regulates intestinal transit, attenuates behavioral and oxidative perturbations in irritable bowel disorder in rats. *Phytomedicine*. 21(4): 423-429.
- Chen, J.C., Huang, L.J., Wu, S.L., Kuo, S.C., Ho, T.Y., Hsiang, C.Y. (2007). Ginger and its bioactive component inhibit enterotoxigenic *Escherichia coli* heat-labile enterotoxin-induced diarrhea in mice. *Journal of Agricultural and Food Chemistry*. 55(21): 8390-8397.
- Chen, Y.Y., Chen, S., Ok, K., Duncan, F.E., O'Halloran, T.V., Woodruff, T.K. (2023). Zinc dynamics regulate early ovarian follicle development, *Journal of Biological Chemistry*. 299(1): 102731.
- Daniels, C.C., Isaacs, Z., Finelli, R., Leisegang, K. (2022). The efficacy of *Zingiber officinale* on dyslipidaemia, blood pressure and inflammation as cardiovascular risk factors: A systematic review. *Clinical Nutrition ESPEN*. 51: 72-82.
- El-Ashmawy, N.E., Khedr, N.F., El-Bahrawy, H.A., Mansour, H.E.A. (2018). Ginger extract adjuvant to doxorubicin in mammary carcinoma: study of some molecular mechanisms. *European Journal of Nutrition*. 57: 981-989.
- Ernst, E., Pittler, M.H. (2000). Efficacy of ginger for nausea and vomiting. A systematic review of randomised clinical trials. *British Journal of Anaesthesia*. 84: 367-371.
- Fahmi, A., Hassanen, N., Abdur-Rahman, M., Shams-Eldin, E. (2019). Phytochemicals, antioxidant activity and hepatoprotective effect of ginger (*Zingiber officinale*) on diethylnitrosamine toxicity in rats. *Biomarkers*. 24(5): 436-447.

- Fajrin, F.A., Nugroho, A.E., Nurrochmad, A., Susilowati, R. (2020). Ginger extract and its compound, 6-shogaol, attenuates painful diabetic neuropathy in mice *via* reducing TRPV1 and NMDAR2B expressions in the spinal cord. *Journal of Ethnopharmacology*. 249: 112396.
- Gad, S.C. (2023). Manganese: (Eds) Philip J. Wexler, *Encyclopedia of Toxicology* (Fourth Edition), Academic Press. 17-21.
- Gholami-Ahangaran, M., Karimi-Dehkordi, M., Akbari Javar, A., Haj Salehi, M., Ostadpoor, M. (2021). A systematic review on the effect of Ginger (*Zingiber officinale*) on improvement of biological and fertility indices of sperm in laboratory animals, poultry and humans. *Veterinary Medicine and Science*. 7(5): 1959-1969.
- Gomes da Silva, G., da Silva Dias, M.S., Takiya, C.S., Nunes, A.T., Del Valle, T.A., Grigoletto, N.T.S., *et al.* (2023). Feeding reduced levels of trace minerals in proteinate form and selenium-yeast to transition cows, Performance, trace minerals and antioxidant status, peripheral neutrophil activity and oocyte quality. *Journal Dairy Science*. 106(4): 3023-3042.
- Han, L.K., Morimoto, C., Zheng, Y.N., Li, W., Asami, E., Okuda, H., Saito, M. (2008). Effects of zingerone on fat storage in ovariectomized rats. *Yakugaku Zasshi*. 128(8): 1195-201.
- Ibtisham, F., Nawab, A., Niu, Y., Wang, Z., Wu, J., Xiao, M., An, L. (2019). The effect of ginger powder and Chinese herbal medicine on production performance, serum metabolites and antioxidant status of laying hens under heat-stress condition. *Journal of Thermal Biology*. 81: 20-24.
- Iwami, M., Shiina, T., Hirayama, H., Shima, T., Takewaki, T., Shimizu, Y. (2011). Inhibitory effects of zingerone, a pungent component of *Zingiber officinale* Roscoe, on colonic motility in rats. *Journal of Natural Medicines*. 65(1): 89-94.
- Kiyama, R. (2020). Nutritional implications of ginger: chemistry, biological activities and signaling pathways. *The Journal of Nutritional Biochemistry*. 86: 108486.
- Lantz, R., Chen, G., Sarihan, M., Solyom, A., Jolad, S., Timmermann, B. (2007). The effect of extracts from ginger rhizome on inflammatory mediator production. *Phytomedicine*. 14(2-3): 123-128.
- Li, D.S., Shi, L.L., Guo, K., Luo, S.H., Liu, Y.C., Chen, Y.G., Liu, Y., Li, S.H. (2023). A new sesquiterpene synthase catalyzing the formation of (R)- $\beta$ -bisabolene from medicinal plant *Colquhounia coccinea* var. *mollis* and its anti-adipogenic and antibacterial activities. *Phytochemistry*. 211: 113681.
- Li, F., Li, S., Li, H., Deng, G., Ling, W., Xu, X. (2013). Antiproliferative activities of tea and herbal infusions. *Food Function*. 4: 530-538.
- Lobo, R.R., Arce-Cordero, J.A., So, S., Soltis, M., Nehme Marinho, M., Agostinho, B.C., *et al.* (2023). Production, physiological response and calcium and magnesium balance of lactating Holstein cows fed different sources of supplemental magnesium with or without ruminal buffer. *Journal of Dairy Science*. 106(2): 990-1001.
- Luan, J., Jin, Y., Zhang, T., Feng, X., Geng, K., Zhang, M., Geng, C. (2023). Effects of dietary vitamin E supplementation on growth performance, slaughter performance, antioxidant capacity and meat quality characteristics of finishing bulls. *Meat Science*. 206: 109322.
- Masuda, Y., Kikuzaki, H., Hisamoto, M., Nakatani, N. (2004). Antioxidant properties of gingerol related compounds from ginger. *BioFactors*. 21(1-4): 293-296.
- McCormick, D. (2006). Vitamin B6. In: *Present Knowledge in Nutrition*. [Bowman, B., Russell, R., (eds)]. 9<sup>th</sup> ed. Washington, DC: International Life Sciences Institute.
- Mohammed, A.A. (2018). Development of oocytes and preimplantation embryos of mice fed diet supplemented with dunaliella salina. *Advances in Animal and Veterinary Sciences*. 6(1): 33-39.
- Mohammed, A.A. and Al-Suwaiegh, S. (2023). Impacts of nigella sativa Inclusion during gestation and lactation on ovarian follicle development, as well as the blood and metabolic profiles of ardi goats in subtropics. *Agriculture*. 13: 674.
- Mohammed, A.A., AlGherair I., Al-Suwaiegh S., Al-Khamis S., Alessa F., Al-Madni A. and Al-Ghamdi A. (2024b). Effects of nutritive and Non-nutritive feed supplements on feed utilization, growth and reproductive performances in mammals. *Indian Journal Animal Research*. 58(4): 615-621. doi: 10.18805/IJAR.BF-1744.
- Mohammed, A.A., Al-Saiady, M., El-Waziry, A., Alshaheen, T. (2024c). Effects of dietary omega-3 fatty acids on reproductive performance and biochemical parameters of lactating cows in arid subtropics. *Pakistan Journal of Zoology*. doi: <https://dx.doi.org/10.17582/journal.pjz/20231225161301>.
- Mohammed, A.A., Al-Suwaiegh, S. (2016). Effects of *Nigella sativa* on mammals' health and production. *Advances in Animal Veterinary Sciences*. 4(12): 630-636.
- Mohammed, A.A., Al-Suwaiegh, S., AlGherair, I., Al-Khamis, S., Alessa, F., Al-Awaid, S., Alhujaili, W.F., Mohammed, A. and Mohammed, A. (2024a). The potential impacts of antioxidant micronutrients on productive and reproductive performances of mammalian species during stressful conditions. *Indian Journal of Animal Research*. 58(6): 1031-1038. doi: 10.18805/IJAR.BF-1773.
- Mukerjee, S., Karati, D. (2022). A mechanistic view on phytochemistry, pharmacognostic properties and pharmacological activities of phytocompounds present in *Zingiber officinale*: A comprehensive review. *Pharmacological Research-Modern Chinese Medicine*. 5: 100173.
- Park, E.J., Pezzuto, J.M. (2002). Botanicals in cancer chemoprevention. *Cancer and Metastasis Reviews*. 21(3-4): 231-255.
- Patil, S.A., Patil, R.B. (2021). Probable mechanism of action of shunthi (*Zingiber officinale*) on hypertension w.r.t. various cardio-vascular conditions: A literary review. *International Journal of Research In Ayurveda And Medical Sciences*. 4(1): 33-38.
- Pillai, A.K., Sharma K.K., Gupta Y.K., Bakhshi S. (2011). Anti-emetic effect of ginger powder versus placebo as an add-on therapy in children and young adults receiving high emetogenic chemotherapy. *Pediatric Blood and Cancer*. 56(2): 234-238.
- Rajan, I., Narayanan, N., Rabindran, R., Jayasree, P.R., Kumar, P.R.M. (2013). Zingerone protects against stannous chloride induced and hydrogen peroxide- induced oxidative DNA damage *in vitro*. *Biological Trace Element Research*. 155: pp. 455-459.

- Rani, P., Pathak, V.V., Bansal, M. (2021). Co-digestion of wheat straw and animal manure pretreated with calcium hydroxide for biomethane production: Kinetic study, Current Research in Green and Sustainable Chemistry. 4: 100145.
- Rasool, N., Saeed, Z., Pervaiz, M., Ali, F., Younas, U., Bashir, R., Bukhari, S.M., Khan, R.R.M., Jelani, S., Sikandar, R. (2022). Evaluation of essential oil extracted from ginger, cinnamon and lemon for therapeutic and biological activities, Biocatalysis and Agricultural Biotechnology. 44: 102470.
- Say, A.E., Gursurer, M., Yazicioglu, M.V., Ersek, B. (2002). Impact of body iron status on myocardial perfusion, left ventricular function and angiographic morphologic features in patients with hypercholesterolemia. American Heart Journal. 143(2): 257-264.
- Sayed, S., Ahmed, M., El-Shehawi, A., Alkafafy, M., Al-Otaibi, S., El-Sawy, H., Farouk, S., El-Shazly, S. (2020). Ginger water reduces body weight gain and improves energy expenditure in rats. Foods. 9(1): 38.
- Senosy, W., Kassab, A.Y., Ezzat, A.A., Mohammed, A.A. (2019). Effect of copper supplementation on ovarian function and blood profiles of native goats in grazing copper-deficient alfalfa desert oasis. Assiut Veterinary Medical Journal. 65(160): 133-141.
- Senosy, W., Kassab, A.Y., Hamdon, H.A., and Mohammed, A.A. (2018). Influence of organic phosphorus on reproductive performance and metabolic profiles of anoestrous Farafr ewes in subtropics at the end of breeding season. Reproduction in Domestic Animals. 53: 904-913.
- Senosy, W., Kassab, A.Y., Mohammed, A.A. (2017). Effects of feeding green microalgae on ovarian activity, reproductive hormones and metabolic parameters of Boer goats in arid subtropics. Theriogenology. 96: 16-22.
- Shanmugam, K.R., Mallikarjuna, K., Kesireddy, N., Reddy, K.S. (2011). Neuroprotective effect of ginger on anti-oxidant enzymes in streptozotocin-induced diabetic rats. Food and Chemical Toxicology. 49(4): 893-897.
- Sharma, S.S., Kochupillai, V., Gupta, S.K., Seth S.D., Gupta Y.K. (1997). Antiemetic efficacy of ginger (*Zingiber officinale*) against cisplatin-induced emesis in dogs. Journal of Ethnopharmacology. 57(2): 93-96.
- Sorrenti, V., Burò, I., Consoli, V., Vanella, L. (2023). Recent advances in health benefits of bioactive compounds from food wastes and by-products: Biochemical aspects. International Journal of Molecular Sciences. 24(3): 2019.
- Stagos, D., Amoutzias, G.D., Matakos, A., Spyrou, A., Tsatsakis, A.M., Kouretas, D. (2012). Chemoprevention of liver cancer by plant polyphenols. Food and Chemical Toxicology. 50(6): 2155-2170.
- Stewart, J., Wood, M.J., Wood, C.D., Mims, M.E. (1991). Effects of ginger on motion sickness susceptibility and gastric function. Pharmacology. 42: 111.
- Stoilova, I., Krastanov, A., Stoyanova, A., Denev, P., Gargova, S. (2007). Antioxidant activity of a ginger extract (*Zingiber officinale*). Food Chemistry. 102(3): 764-770.
- Sweetman, L. (2010). Pantothenic acid. In: Encyclopedia of Dietary Supplements. [Coates, P.M., Betz, J.M., Blackman, M.R., et al., (eds)]. 2<sup>nd</sup> ed. London and New York: Informa Healthcare. 604-611.
- Teresa Rejas, M., Rojo, J., Ojeda, G., Barasoain, I. (1988). Sodium diethyldithiocarbamate restores T lymphocyte proliferation, interleukin-2 production and NK activity in cyclophosphamide immunosuppressed animals. Immunopharmacology. 16(3): 191-197.
- Thunchomnang, K., Lawa, K., Mangkhalathon, A., Saenubol, P., Rattanakit, S., Pulbutr P. (2012). Lipolytic Effects of Zingerone in Isolated Rat Adipocytes. Proceedings of the 4<sup>th</sup> Annual Northeast Pharmacy Research Conference.
- Wang, R., Lee, Y.G., Dhandapani, S., Baek, N.I., Kim, K.P., Cho, Y.E., Xu, X., Kim, Y.J. (2023). 8-paradol from ginger exacerbates PINK1/Parkin mediated mitophagy to induce apoptosis in human gastric adenocarcinoma. Pharmacological Research. 187: 106610.
- Yang, Z., Guo, Z., Yan, J., Xie, J. (2024). Nutritional components, phytochemical compositions, biological properties and potential food applications of ginger (*Zingiber officinale*): A comprehensive review. Journal of Food Composition and Analysis. 128: 106057.
- Yao, Y., Tang, Y., Qin, H., Meng, R., Zhang, C., Zhang, Y., Yang, Y., Qiao, P., Liu, J., Su, J. (2023). Zinc supplementation promotes oocyte maturation and subsequent embryonic development in sheep, Theriogenology. 206: 161-169.
- Yilmaz, N., Seven, B., Timur, H., Yorgancı, A., İnal, H.A., Kalem, M.N., Kalem, Z., Han, Ö., Bilezikçi, B. (2018). Ginger (*Zingiber officinale*) might improve female fertility: A rat model. Journal of the Chinese Medical Association. 81(10): 905-911.
- Yousfi, F., Abridgach, F., Petrovic, J.D., Sokovic, M., Ramdani, M. (2021). Phytochemical screening and evaluation of the antioxidant and antibacterial potential of *Zingiber officinale* extracts. South African Journal of Botany. 142: 433-440.
- Zhang, F., Zhang, J.G., Yang, W., Xu, P., Xiao, Y.L., Zhang, H.T. (2018). 6-Gingerol attenuates LPS-induced neuroinflammation and cognitive impairment partially via suppressing astrocyte overactivation. Biomedicine and Pharmacotherapy. 107: 1523-1529.
- Zhang, G.F., Yang, Z.B., Wang, Y., Yang, W.R., Jiang, S.Z. and Gai, G.S. (2009). Effects of ginger root (*Zingiber officinale*) processed to different particle sizes on growth performance, antioxidant status and serum metabolites of broiler chickens. Poultry Science. 88: 2159-2166.
- Zhang, Y.X., Li, J.S., Chen, L.H., Peng, W.W., Cai, B.C. (2012). Simultaneous determination of five gingerols in raw and processed ginger by HPLC. Chinese Pharmaceutical Journal. 47(6): 471-474.
- Zhao, X., Yang, Z.B., Yang, W.R., Wang, Y., Jiang, S.Z., and Zhang, G.G. (2011). Effects of ginger root (*Zingiber officinale*) on laying performance and antioxidant status of laying hens and on dietary oxidation stability. Poultry Science. 90: 1720-1727.